Water Element

水

A. Snijders www.bevas.eu

1

Kd Md

腎

www.bevas.eu

2

Ting, Jing-Well	1
Ying - Spring	2
Shu - Stream Yuan	3
Jing - River	7
He - Sea	10
Xi	5
Luo	4



3



4

BI 52

Fear
Anxiety
Superstition
Sexual insegurity



5

Kd1

In the depression on the plantar surface of the foot, between the 2nd & 3rd mts bones, proximal to the metatarsophalangeal joint. This point's location in relationship to the metatarsal pad varies depending on breed and leg position, and may be proximal to or underneath the pad

Jing-Well, Wood & Sedation point.

6


Ting (post.)
Liv 1
St 45
GB 44
Sp 1
Bl 67
Med.
Lat.
Kid 1
www.bevas.eu

7


A
B
C
I.
II.
III.
IV.
V.
www.bevas.eu

8


www.bevas.eu

9

Kd2

On the medial side of the hindleg, just
Behind os tarsale I (33) and below Os tarsale IV (30)

Fire point, Ying-Spring point.



www.bevas.eu

10

Kd3

In the depression cranial to the tuber calcanei,
at approximately the midpoint of a line drawn from the tip
of the medial malleolus to the point of insertion
of the common calcanean tendon.
This point is level with Bl 60 at the lateral side

Earth, Source & Shu-Stream point.



11

Kd 4

Luo point with Bl64.

Medial side of the hindleg at 0.5 cun caudal and proximal of Kd3 at the medial border of the Achilles tendon.

Kd 5

Xi-cleft point.

Medial side of the hindleg at 1 cun distal of Kd3 just caudal to the most distal part of the tibia.

www.bevas.eu

12

Kd6

In the depression immediately distal to the medial malleolus when the hock is flexed at a 90 degree angle. In the depression at the level of the joint space between the talus and calcaneus, distoplantar to the medial malleolus in the standing position

Opening point for the Yin Qiao Mai. Couple point for the Ren Mai.

www.bevas.eu

13



www.bevas.eu

14

Kd7

2 cun above the tip of the medial malleolus, cranial to the common calcanean tendon



Jing-River, Metal & Tonification point

www.bevas.eu

15

Kd7 Tonifies Kid YANG

Kd3 Tonifies Kid YANG & YIN

Kd 6 Tonifies Kid YIN

www.bevas.eu

16

Kd 8

Xi-Cleft point of the Yin Chiao Mai.

At the medial side of the hindleg, at the caudal border of the tibia, 2 cun above Kd 3 and 0.5 cun frontal of Kid 7.

Kd 9

Starting point of the Yin Wei Mai.

At the medial side of the hindleg, 5 cun proximal of Kd 3 on a line that connects Kd 3 and Kd 10.

www.bevas.eu

17



www.bevas.eu

18

Kd 10

At the medial end of the popliteal crease, at the same level as Bl 40 between the Mm. Semimembranosus and semitendinosus.

Water point, He-Sea point, Horary point.

www.bevas.eu

19



20



21

Bl Md

肺光

www.bevas.eu

22



Ting, Jing-Well	67
Ying - Spring	66
Shu - Stream	65
Yuan	64
Jing - River	60
He - Sea	40
Xi	63
Luo	58

23



24

BI 53

Panic
Dread
Frustration
Restlessness

25

BI1

0.1 cun dorsal to the medial canthus



www.bevas.eu

26

BI2

At the medial extremity of the eyebrow, in the supraorbital notch



27



Fig. 48, 49 : Infiltration du rameau latéral du nerf supra-orbitaire



28



29

Bl11 1.5 cun lateral to the caudal border of the spinous process of the T1, mid-way from the spinous process to the medial border of the scapula



Influential point for Bone

www.bevas.eu

30



31

www.bevas.eu

32

41



33

42

BI13 Same as BL 12 but lateral to the 3rd thoracic vertebra



Association (Shu) point for the Lung

34

1: SHU *plus* MU

2: ORGAN

MERIDIAN

EMOTION



www.bevas.eu

35

DIAGNOSTIC POINTS !

BEFORE TREATMENT

DURING TREATMENT

AFTER TREATMENT

www.bevas.eu

36

Stagnation or blockage of the Bl meridian



37

43

Same as BL 12 but lateral to the 4th thoracic vertebra

Bl14



Association (Shu) point for the Pericardium

38

44

Same as BL 12 but lateral to the 5th thoracic vertebra

Bl15



Association (Shu) point for the Heart

39

45

Bl17

1.5 cun lateral to the caudal border of the spinous process of the T7, in the depression caudal to the medial border of the scapula



Association (Shu) point for the Diaphragm,
Influential point for Blood

40

47

Bl18

1.5 cun lateral to the caudal border of the spinous process of the 10th thoracic vertebra



Association (Shu) point for the Liver

41

48

Bl19

1.5 cun lateral to the caudal border of the spinous process of the 11th thoracic vertebra



Association (Shu) point for the Gallbladder

42

49

BI20

1.5 cun lateral to the caudal border of the spinous process of the 12th thoracic vertebra



Association (Shu) point for the Spleen.

43

50

BI21

1.5 cun lateral to the caudal border of the spinous process of the 13th thoracic vertebra



Association (Shu) point for the Stomach.

44

51

BI22

1.5 cun lateral to the caudal border of the spinous process of the L1



Association (Shu) point for the Triple Heater.

45



46

BI25 1.5 cun lateral to the caudal border of the spinous process of the L5



Association (Shu) point for the Large Intestine

47

BI26 1.5 cun lateral to the caudal border of the spinous process of the L7



Gate of Origin Lumbar region point

48

BI 27

1.5 cun lateral of the midline at the level of
The 1st sacral foramen



Association point (Shu)
For the Small Intestine

49

BI28

In the depression 1,5 cun lateral to the dorsal
Midline at the level of the 2nd sacral foramen



Association (Shu)
point for the Bladder.

50

BI35

In the crease just lateral to the tail base, 0.5 cun
lateral to the GV Channel.
Point location may be assisted by lifting the tail



www.bevas.eu

51

Bl36

Ventral to the tuber ischii, a
the junction of the mm.
semitendinosus and M biceps
femoris,
Just distolateral to the
lateral aspect of the tuber
ischiadicum



52



53



54

BI39

On the lateral end of the popliteal crease, on the medial border of the tendon of the biceps femoris. Just lateral to BL 40

Lower He-Sea point for the Triple Heater,

55

BI40

In the center of the popliteal crease

Master point for the caudal back and hip region. Earth & He-Sea point.

www.bevas.eu

56

BI52

3 cun lateral to the caudal border of the spinous process of the L2, at the lateral border of the m. longissimus, lateral to BL 23



www.bevas.eu

57

Bl54

Dorsal to the greater trochanter



58



Bl 58

Luo point with Kd 3.

On the lateral side of the hindleg at 7 cun proximal of Bl 60 at the caudal border of the tibia.

Bl 59

Xi-Cleft point of the Yang Chiao Mai

3 cun proximal of Bl60 at the caudal border of the tibia.

59

Bl60

In the depression cranial to the tuber calcanei, at approximately the midpoint of a line drawn from the tip of the lateral malleolus to the point of insertion of the common calcanean tendon. This point is lateral to Kid 3

Fire and Jing-River point



60



61

Bl62

In the depression at the level of the joint space between the talus and calcaneus, distoplantar to the lateral malleolus in the standing position and directly distal to the lateral malleolus when the hock is flexed at a 90 degree angle

Opening point for the Yang Qiao Mai. Coupled point for the Du Mai (GV) meridian.

www.bevas.eu

62



63



64



Bl 63

Xi-Cleft point of the Bl meridian.
Starting point of the Yang Wei Mai.

At the lateral side of the metatarsus.
Just caudal to the tuberosity of the 5th metatarsal bone.

Bl 64

Yuan point with Kd 4.

At the lateral aspect of the metatarsus, in a depression just distal to the head of the 5th metatarsal bone.

65



66



Bl 65

Wood point, Shu-Stream point, Sedation point.

In a depression just caudal and proximal to the distal epicondyle of the 5th metatarsal bone.

Bl 66

Water point, Ying-Spring point, Horary point.

In a depression just below the metatarso phalangeal joint, caudal/plantar of the bone.

www.bevas.eu

67

Bl67 On the lateral aspect of the nail bed of the 5th digit of the rear foot

Jing-Well, Metal, & Tonification point.

www.bevas.eu

68



69